

**In the Claims:**

1. (Currently amended) A hand-held dispenser for dispensing a multiplicity of unit products having:
  - a storage area for storing the unit products,
  - an outlet opening through which the unit products are dispensable from the dispenser,
  - a dispensing mechanism actuatable to dispense the unit products through the outlet opening, and
  - a dispensing indicator for indicating the number of unit products left in, or dispensed from, the dispenser, the dispensing indicator being integrated with the dispenser such that it is automatically updated in response to the dispensing of the unit products therefrom.
2. (Original) The dispenser of claim 1 in which the dispensing indicator has a display to indicate the number of unit products left or dispensed.
3. (Original) The dispenser of claim 2 in which the dispensing indicator is adapted to represent the number of unit products left or remaining in graphical form on the display.
4. (Original) The dispenser of claim 3 in which the number of unit products is represented with numerical indicia.
5. (Previously presented) The dispenser of claim 2 in which the display is an electronic display.
6. (Previously presented) The dispenser of claim 1 wherein the dispensing indicator is an electronic indicator.
7. (Previously presented) The dispenser of claim 1 in which the dispensing indicator is a dispensing counter.

8. (Previously presented) The dispenser of claim 1 wherein the dispensing indicator is operatively coupled to the dispensing mechanism such that the indicator is updated in response to actuation of the dispensing mechanism.
9. (Original) The dispenser of claim 8 in which the dispensing indicator is operatively coupled to the dispensing mechanism through a detector which is adapted to detect actuation of the dispensing mechanism.
10. (Previously presented) The dispenser of claim 1 wherein the dispensing mechanism is operatively coupled to a detector, which is adapted to detect dispensing of unit products from the outlet opening, such that the dispensing indicator is updated in response to detection by the detector of dispensing of unit products from the outlet opening.
11. (Previously presented) The dispenser of claim 9 in which the display is an electronic display wherein the dispensing indicator has an electrical control circuit for controlling the display and the detector(s) is a trigger(s) for the circuit.
12. (Original) The dispenser of claim 11 wherein the trigger(s) is a switch operable to trigger the circuit.
13. (Previously presented) The dispenser of claim 12 in which the dispensing indicator is operatively coupled to the dispensing mechanism through a detector which is adapted to detect actuation of the dispensing mechanism, and wherein the dispensing mechanism is adapted to operate the switch when actuated.

14. (Previously presented) The dispenser of claim 12 wherein the dispensing mechanism is operatively coupled to a detector, which is adapted to detect dispensing of unit products from the outlet opening, such that the dispensing indicator is updated in response to detection by the detector of dispensing of unit products from the outlet opening, and wherein the switch is positioned so as to be operated by the unit product(s).

15-18. Canceled.

19. (Previously presented) The dispenser of claim 1 in which the dispensing mechanism is adapted to dispense a predetermined number of unit products per actuation.
20. (Original) The dispenser of claim 19 wherein the predetermined number is one.
21. (Previously presented) The dispenser of claim 1 wherein the storage area is provided in a first dispenser part and the dispensing indicator and outlet opening are provided in a second dispenser part attached to the first dispenser part.
22. (Original) The dispenser of claim 21 wherein the dispensing mechanism is provided in the second dispenser part.
23. (Previously presented) The dispenser of claim 21 wherein the first and second dispenser parts are releasably attached.
24. (Previously presented) The dispenser of claim 21 wherein the first dispenser part has an access opening through which the unit products are transferable from the storage area into the second dispenser part and the dispenser has a closure which is selectively connectable with the first and

- second dispenser parts to respectively close the access opening and the outlet opening.
25. (Original) The dispenser of claim 24 wherein the closure is a cap.
26. (Previously presented) The dispenser of claim 24 wherein the closure, on the one hand, and the first and second dispenser parts, on the other hand, have co-operable connecting structures for selectively connecting the closure to the first and second dispenser parts.
27. (Original) The dispenser of claim 26 wherein the connecting structures on the first and second dispenser parts are the same.
28. (Previously presented) The dispenser of claim 26 wherein the second dispenser part has a further connecting structure which is co-operable with the connecting structure of the first dispenser part which co-operates with the connecting structure of the closure to enable connection of the first and second dispenser parts.
29. (Previously presented) A dispensing module for attachment to a container for a multiplicity of unit products in the form of the second dispenser part of claim 22.
- 30-31. Canceled.